
ΟΛΚΟΤΛ


RUSH LEVEL LEVELING SYSTEM AND SPACERS FOR TILES












UNIVERSAL

Suitable for linear screws, T-shape screws and X-shape screws

INTEGRATED ANTI-SCRATCH SYSTEM

The pad does not move while leveling.

LATERAL VIEW Lateral opening to see tiles and joint lines.






Soft squeeze and push for initial leveling.

EASY RELEASE SYSTEM

Squeeze clips for easy release of the broken screw.

ANTI RETURN

Anti-slip device (ratchet style) to prevent any back movements of the cylinder.



Rush Level components

Rush Level System is a new generation of cylinder leveling system. Main features are:

- It works with all spacer clips of any shape: linear, T and X shape.
- Very easy and fast to use: soft squeeze and push for initial set and squeeze again for quick release of the broken screws once used.
- Anti-scratch rubber pad integrated to prevent any marking.
- Wide working range for tiles from 3 to 22 mm.
- Joint lines available: Linear 1, 1.5, 2, 2.5, 3 and 4 mm (3/64, 1/16, 5/64, 7/64, 1/8 and 5/32inch), Cross an T-shape 1, 2, 3 mm (3/64, 5/64 and 1/8inch) only.
- Made of recycled plastic.

Rush Level is available in two differents packagings:

- Single bags composed of 100 disposable screws or 50 cylinders,
- Plastic box composed of 100 disposable linear screws and 50 leveling cylinders;

			1							
		mm 64"	3 mm 1/8"	n 4 mn 5/32'		n "X"	"Τ"			
Code	Product	mm	Inch	Bag	Pkg.	Pallet	UM			
TER04-4440DK	Rush Cylinder	-		50 pcs.	10 bags	150 bags	bag			
TER04-4401DK	Linear screw for h 3 to 24 mm	1	3/64	100 pcs.	25 bags	375 bags	bag			
TER04-44015DK	Linear screw for h 3 to 24 mm	1,5	1/16	100 pcs.	25 bags	375 bags	bag			
TER04-4402DK	Linear screw for h 3 to 24 mm	2	5/64	100 pcs.	25 bags	375 bags	bag			
TER04-44025DK	Linear screw for h 3 to 24 mm	2,5	7/64	100 pcs.	25 bags	375 bags	bag			
TER04-4403DK	Linear screw for h 3 to 24 mm	3	1/8	100 pcs.	25 bags	375 bags	bag			
TER04-4404DK	Linear screw for h 3 to 24 mm	4	5/32	100 pcs.	25 bags	375 bags	bag			
TER04-4443DK	Linear screw for h 20 to 30 mm	3	1/8"	100 pcs.	20 bags	300 bags	bag			
TER04-4421DK	"X" screw for h 3 to 24 mm	1	3/64	100 pcs.	25 bags	375 bags	bag			
TER04-4422DK	"X" screw for h 3 to 24 mm	2	5/64	100 pcs.	25 bags	375 bags	bag			
TER04-4423DK	"X" screw for h 3 to 24 mm	3	1/8	100 pcs.	25 bags	375 bags	bag			
TER04-4431DK	"T" screw for h 3 to 24 mm	1	3/64	100 pcs.	25 bags	375 bags	bag			
TER04-4432DK	"T" screw for h 3 to 24 mm	2	5/64	100 pcs.	25 bags	375 bags	bag			
TER04-4433DK	"T" screw for h 3 to 24 mm	3	1/8	100 pcs.	25 bags	375 bags	bag			









Rush Level kit

Code	Product	mm	Inch	Pkg.	Pallet	UM
TER04-4440S1	Rush Level Kit - 100 Screw and 50 cylinder	1	3/64	1 box	80 boxes	box
TER04-4440S15	Rush Level Kit - 100 Screw and 50 cylinder	1,5	1/16	1 box	80 boxes	box
TER04-4440S2	Rush Level Kit - 100 Screw and 50 cylinder	2	5/64	1 box	80 boxes	box
TER04-4440S25	Rush Level Kit - 100 Screw and 50 cylinder	2,5	7/64	1 box	80 boxes	box
TER04-4440S3	Rush Level Kit - 100 Screw and 50 cylinder	3	1/8	1 box	80 boxes	box
TER04-4440S4	Rush Level Kit - 100 Screw and 50 cylinder	4	5/32	1 box	80 boxes	box







А							A								
10	98														
15	65	43									В				
20	49	32	24	EXAMPLE: to lay a 40 x 40 cm tile											
25	39	26	19	15 it takes 18 pcs/m ² with the application of the cilynders in											
30	32	21	16	13											
40	49	32	24	19	16	18									
45	43	29	21	17	14	16	14								
50	39	26	19	15	13	14	13	11							
60	32	21	16	13	11	12	10	9	8						
80	36	24	18	14	12	12	10	9	8	7					
90	32	21	16	13	11	10	9	8	7	6	6				
100	29	19	14	11	9	9	8	7	6	6	5	4			
120	32	21	16	13	11	10	9	8	6	6	5	4	4		
cm	10	15	20	25	30	40	45	50	60	80	90	100	120	в	





www.dakota.eu info@dakota.eu

DAKOTA GROUP S.A.S.

REGISTERED OFFICE Via Pitagora, 3 37010 Affi, Verona - Italy **CONTACTS** T. +39 045 6284080 F. +39 045 4771028 info@dakotaitalia.com

HEADQUARTER

Via Don Cesare Scala, 55 37020 Brentino Belluno - Italy

VAT number: IT 07971400960 | Register of Companies of VERONA no. 07971400960 REA: VR-398568

04.24

