D340P

# Smart 2K+ Wired PoE Video Doorbell with Chime

## 2K+

### 2K+ (5MP) HD Video

Individuals will be easier to recognize with richer details.

### Person Detection

Get alerted only when a person is detected.

### Power over Ethernet

Get power and network at the same time via one cable.

### Quality Night Vision

Know who's there in the dark with its infrared LED.

### Wide Viewing Angle

Cover a large area for more surrounding details.

### Two-Way Audio

Live talk with the visitors when you're not at home.

### Pre-Motion Recording

Start recording 6s before actual detections happen.

### Preset Voice Message

Have the doorbell speaks for you with preset voice messages.

### Chime Included

Plug it into the outlet at any room and be confidently alerted.

**2K+**      **1080P**

## 2K+ Incredible Clarity

At least twice clearer than the 2MP (1080p), 2K+ (5MP) resolution means a sharp, vivid view of your front doorstep.



## More Accurate, Less Distracted

Receive instant alerts when a person is detected. You can also set custom motion zones to focus on what really matters.



## See a Bigger Picture

With a 180° diagonal view, the doorbell covers a larger monitoring area for more details.



## Talk and Listen from Anywhere

With the built-in speaker and mic, you can talk with your visiting friends when you're away or deter intruders.



## A Few Seconds, All the Difference

Start recording 6s before receiving an alert. Know what happened before your package was delivered.

## Gallery









### One App/Client for All Control

Stay connected to your home or business anytime, anywhere.



### Privacy in Your Hands

We made it a priority to ensure that your privacy is protected and your data is for your eyes only.

| Model | D340P | |
|---|---|---|

| **Video & Audio** | Image Sensor | 1/2.7" CMOS  Sensor |
|---|---|---|
| | Video Resolution | Default: 2560X1920 (5 megapixels) @20FPS |
| | Lens | f=2.26mm F=2.0, with IR cut |
| | Video Format | H.264 |
| | Field of View | Horizontal: 134° |
| | | Vertical: 97° |
| | | Diagonal: 180° |
| | Pre-Motion Recording | Support |
| | Audio | Two-way audio, noise reduction, echo suppression |
| | Quick Replies | Support |

| **Power** | PoE | IEEE 802.3af, 48V Active |
|---|---|---|
| | Hardwired | 12-24VAC 50/60Hz, 24VDC |

| **Interface** | Power | Power port |
|---|---|---|
| | System | Reset button |
| | Ethernet | One 10M/100Mbps  RJ45 |
| | Storage | microSD card slot (Max. 256GB), works with Reolink NVR |
| | Audio | Built-in 2 microphones & a speaker |

| **Software** | Frame Rate | Mainstream: 2fps - 20fps (default: 20fps) |
|---|---|---|
| | | Substream: 4fps - 15fps (default: 10fps) |
| | Code Rate | Mainstream: 1024Kbps - 6144Kbps (default: 4096Kbps) |
| | | Substream: 64Kbps - 512Kbps (default: 256Kbps) |
| | Browsers Supported | Edge, Chrome, Firefox, Safari |
| | OS Supported | PC: Windows, Mac OS; Smartphone: iOS, Android |
| | Smart Alarm | Motion detection/person detection; visit notification |
| | Recording Modes | Motion recording (default); 24/7 recording; scheduled recording |
| | Protocols & Standards | HTTPS, IPv4, UPNP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P |
| | Work with | Google Assistant |

| **Working Environment** | Temperature | Operating temperature: -10°C~+50°C  (14°F~122°F) |
|---|---|---|
| | Humidity | Operating humidity: 10% ~ 90% |
| | Waterproof | Support |

| **Size & Weight** | Dimension | 133mm(H) x 48mm(W) x 23mm(T) |
|---|---|---|
| | Weight | 96g |

| **Warranty** | Limited Warranty | 2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ |
|---|---|---|

48mm

133mm

29mm

86.5mm

| 1 | Lens | 2 | Button | 3 | Doorbell Status Light |

| 4 | Chime Status Light |



PoE    Micro SD

RST

| 1 | Network | 2 | microSD Card Slot | 3 | Reset Button |

| 4 | Binding Post | 5 | Wedge – Video Doorbell |

## Best Companion

Wedge – Video Doorbell          PoE Injector          Ethernet Cable

## Terms and Privacy

Terms and Privacy: Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at reolink.com. Keep out of reach of children.

## Limited Warranty

Limited Warranty: This product comes with a 2-year limited warranty. Learn more: https://reolink.com/warranty-and-return/