









- DE Montage- und Bedienungsanleitung
- EN Assembly and operating instructions
- FR Manuel d'installation et de l'utilisateur
- IT Manuale d'installazione e d'uso
- NL Installatie- en gebruiksaanwijzing
- SE Installations- och bruksanvisning
- CZ Montážní a uživatelský manuál
- SK Inštalačná a používateľská príručka
- RO Manual de instalare și utilizare
- PL Instrukcja montażu i obsługi

PIRITA

ART.: 12151310




1









15s
max.




2



3















Ø6mm
























1



2




T°C

38




T°C $\approx$ 38°C → OK

T°C $\neq$ 38°C →  15







1





2



3





4








1




2








1






2



3




4







1






2



3



4



	DE EMPFOHLEN EN RECOMMENDED FR CONSIGLIATO IT CONSIGLIATO NL AANBEVOLEN SE REKOMMENDERAT CZ DOPORUČENO SK DOPORUČENO RO RECOMANDAT PL ZALECANA	DE HÖCHSTENS EN MAXIMUM FR MAXIMUM IT MASSIMO NL MAXIMUM SE MAXIMAL CZ MAXIMUM SK MAXIMUM RO MAXIM PL NAJBARDZIEJ
DE BETRIEBSDRUCK EN OPERATING PRESSURE FR PRESSION DE FONCTIONNEMENT IT PRESSIONE DI ESERCIZIO NL BEDRIJFSDRUK SE DRIFTTRYCK CZ PROVOZNÍ TLAK SK PREVÁDKOVÝ TLAK RO PRESIUNEA DE FUNCȚIONARE PL CIŚNIE NIE OPERACYJNE	0.5 - 5 BAR	10 BAR
DE WASSEITEMPERATUR EN WATER TEMPERATURE FR TEMPÉRATURE DE L'EAU IT TEMPERATURA DELL'ACQUA NL WATERTEMPERATUUR SE VATTENTEMPERATUR CZ TEPLOTA VODY SK TEPLOTA VODY RO TEMPERATURA APEI PL TEMPERATURA WODY	55 - 65 °C	90 °C
DE WASSERANSCHLUSS EN WATER CONNECTION FR RACCORDEMENT D'EAU IT ALLACCIO ACQUA NL WATERTOEOVER SE VATTENANSLUTNING CZ VODNÍ PŘÍPOJKA SK VODNÁ PŘÍPOKA RO RACORD DE APĂ PL PRZYŁĄCZE WODY	DE WARM = LINKS / KALT = RECHTS EN WARM = LEFT / COLD = RIGHT FR CHAUD = À GAUCHE/FROID = À DROITE IT CALDA = SINISTRA / FREDDA = DESTRA NL WARM = NAAR LINKS/KOUD = NAAR RECHTS SE VARMT = VÄNSTER/KALLT = HÖGER CZ TEPLÁ = VLEVO/ STUDENÁ = VPRAVO SK TEPLÁ = VĽAVO / STUDENÁ = VPRAVO RO CALD = STÂNGA / RECE = DREAPTA PL CIEPLY = LEWY / ZIMNY = PRAWY	

